

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## 305230001 - CATALIZADOR EPOXI AGUA COMPONENTE B







# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1 Product identifier:** 305230001 - CATALIZADOR EPOXI AGUA COMPONENTE B

Other means of identification:

**UFI:** TXU4-P0PX-F00A-QCHM

# 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses (Professional users): Industrial paint Relevant uses (Industrial user): Industrial paint For Professional users/Industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

#### 1.3 Details of the supplier of the safety data sheet:

**EUPINCA** 

C/ Londres, 13 - Pol. Ind. Cabezo Beaza 30353 Cartagena - Murcia - España

Phone: +34 968089000 info@grupotkrom.com https://www.tkrom.com/

**1.4 Emergency telephone number:** +34 968 08 90 00 (Oficce hours)

## SECTION 2: HAZARDS IDENTIFICATION \*\*

## 2.1 Classification of the substance or mixture:

#### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411

Eye Irrit. 2: Eye irritation, Category 2, H319 Muta. 2: Germ cell mutagenicity, Category 2, H341 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1: Sensitisation, skin, Category 1, H317

#### 2.2 Label elements:

# CLP Regulation (EC) No 1272/2008:

#### Warning







# **Hazard statements:**

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation. Muta. 2: H341 - Suspected of causing genetic defects.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

#### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P201: Obtain special instructions before use.

P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

#### **Supplementary information:**

 $\hbox{EUH205: Contains epoxy constituents. May produce an allergic reaction.}\\$ 

#### Substances that contribute to the classification

 $Bis-[4-(2,3-epoxipropoxi)phenyl] propane; \ [(p-tolyloxy)methyl] oxirane$ 

Date of compilation: 16/12/2022 Revised: 19/07/2024 Version: 4 (Replaced 3) **Page 1/13** 

<sup>\*\*</sup> Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## 305230001 - CATALIZADOR EPOXI AGUA COMPONENTE B







# SECTION 2: HAZARDS IDENTIFICATION \*\* (continued)

#### 2.3 Other hazards:

Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\*

## 3.1 Substance:

Not relevant

#### 3.2 Mixture:

Chemical description: Mixture composed of pigments and resins

**Components:** 

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification				
CAS:		Bis-[4-(2,3-epoxipropoxi)phenyl]propane <sup>(1)</sup> Self-classified					
EC: Index: REACH:	216-823-5 603-073-00-2 : 01-2119456619-26- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H31 Warning	7 - (1) (1)	75 - <100 %		
CAS:		[(p-tolyloxy)methyl]ox	xirane <sup>(1)</sup>	ATP CLP00			
Index: REACH:	218-645-3 603-056-00-X 01-2119966907-18- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Muta. 2: H341; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	(!) <b>(</b> ) <b>(</b>	25 - <50 %		

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

# Other information:

Identification	Specific concentration limit
	% (w/w) >=5: Skin Irrit. 2 - H315 % (w/w) >=5: Eye Irrit. 2 - H319

<sup>\*\*</sup> Changes with regards to the previous version

# **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

## By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

## By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

Date of compilation: 16/12/2022 Revised: 19/07/2024 Version: 4 (Replaced 3) Page 2/13

<sup>\*\*</sup> Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# 305230001 - CATALIZADOR EPOXI AGUA COMPONENTE B







## SECTION 4: FIRST AID MEASURES (continued)

## 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media:

## Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

#### Unsuitable extinguishing media:

Non-applicable

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

## 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

#### **Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

## For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

# 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

# 6.3 Methods and material for containment and cleaning up:

It is recommended:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

#### 6.4 Reference to other sections:

See sections 8 and 13.

- CONTINUED ON NEXT PAGE -



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## 305230001 - CATALIZADOR EPOXI AGUA COMPONENTE B





## SECTION 7: HANDLING AND STORAGE

## 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.:  $5 \, ^{\circ}\text{C}$  Maximum Temp.:  $30 \, ^{\circ}\text{C}$ 

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

# 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

## **DNEL (Workers):**

		Short e	exposure	re Long exposure	
Identification		Systemic	Local	Systemic	Local
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 1675-54-3	Dermal	Not relevant	Not relevant	0,75 mg/kg	Not relevant
EC: 216-823-5	Inhalation	Not relevant	Not relevant	4,93 mg/m <sup>3</sup>	Not relevant
[(p-tolyloxy)methyl]oxirane	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 2210-79-9	Dermal	Not relevant	Not relevant	6 mg/kg	Not relevant
EC: 218-645-3	Inhalation	42,24 mg/m <sup>3</sup>	Not relevant	21,12 mg/m <sup>3</sup>	Not relevant

# **DNEL (General population):**

PNEC:

		Short e	xposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	Oral	Not relevant	Not relevant	0,5 mg/kg	Not relevant
CAS: 1675-54-3	Dermal	Not relevant	Not relevant	0,0893 mg/kg	Not relevant
EC: 216-823-5	Inhalation	Not relevant	Not relevant	0,87 mg/m <sup>3</sup>	Not relevant
[(p-tolyloxy)methyl]oxirane	Oral	Not relevant	Not relevant	3 mg/kg	Not relevant
CAS: 2210-79-9	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 218-645-3	Inhalation	Not relevant	Not relevant	Not relevant	Not relevant

- CONTINUED ON NEXT PAGE 
Date of compilation: 16/12/2022 Revised: 19/07/2024 Version: 4 (Replaced 3) Page 4/13



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# 305230001 - CATALIZADOR EPOXI AGUA COMPONENTE B







# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	STP	10 mg/L	Fresh water	0,006 mg/L
CAS: 1675-54-3	Soil	0,065 mg/kg	Marine water	0,001 mg/L
EC: 216-823-5	Intermittent	0,018 mg/L	Sediment (Fresh water)	0,341 mg/kg
	Oral	0,011 g/kg	Sediment (Marine water)	0,034 mg/kg
[(p-tolyloxy)methyl]oxirane	STP	10 mg/L	Fresh water	0,0028 mg/L
CAS: 2210-79-9	Soil	0,012 mg/kg	Marine water	0,00028 mg/L
EC: 218-645-3	Intermittent	0,028 mg/L	Sediment (Fresh water)	0,039 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,004 mg/kg

## 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours (Filter type: A)	CAT III	EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

#### C.- Specific protection for the hands

Chemical protective gloves (Material: Butyl, Breakthrough time: > 240 min)  Chemical protective gloves (Material: Butyl, Breakthrough time: > 240 min)  EN ISO 21420:2020  Replace the gloves at any sign of deterioration.	ı	Pictogram	PPE	Labelling	CEN Standard	Remarks
proceduri		mis	(Material: Butyl, Breakthrough time: > 240	CAT III	EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

# D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Face shield	CATII	EN 166:2002 UNE-EN ISO 18526-1 al 4:2020 UNE-EN ISO 18526-1 al 4:2020 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

# E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory complete body protection	Disposable clothing for protection against chemical risks	CAT III	EN 13034:2005+A1:2009 UNE-EN ISO 18526-1 al 4:2020 EN ISO 13982- 1:2005/A1:2011 EN ISO 6529:2013 EN ISO 6530:2005 EN 464:1995	For professional use only. Clean periodically according to the manufacturer's instructions.
Mandatory foot protection	Safety footwear for protection against chemical risk	CAT III	EN ISO 20345:2022 EN 13832-1:2019	Replace boots at any sign of deterioration.

# F.- Additional emergency measures

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## 305230001 - CATALIZADOR EPOXI AGUA COMPONENTE B







# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

#### **Environmental exposure controls:**

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

# Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 0 % weight
V.O.C. density at 20 °C: 0 kg/m³ (0 g/L)
Average carbon number: Not relevant
Average molecular weight: Not relevant

With regard to Directive 2004/42/EC, this product which is ready to use has the following characteristics:

V.O.C. density at 20  $^{\circ}$ C: 0 kg/m³ (0 g/L) EU limit for the product (Cat. A.J): 500 g/L (2010) Components: Not relevant

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

**Appearance:** 

Physical state at 20 °C: Liquid

Appearance: Characteristic

Colour: Colourless

Odour: Not relevant \*

Odour threshold: Not relevant \*

Volatility:

Boiling point at atmospheric pressure: 259 °C

Vapour pressure at 20 °C: 2,17E-1 Pa

Vapour pressure at 50 °C: 4,79 Pa (0 kPa)

Evaporation rate at 20 °C: Not relevant \*

**Product description:** 

Density at 20 °C: 1138,9 kg/m<sup>3</sup>

Relative density at 20 °C: 1,139

Dynamic viscosity at 20 °C:

Kinematic viscosity at 20 °C:

Kinematic viscosity at 40 °C:

Not relevant \*

Concentration:

Not relevant \*

pH: 8

Vapour density at 20 °C:

Partition coefficient n-octanol/water 20 °C:

Not relevant \*

Solubility in water at 20 °C:

Not relevant \*

Not relevant \*

stNot relevant due to the nature of the product, not providing information property of its hazards.

Date of compilation: 16/12/2022 Revised: 19/07/2024 Version: 4 (Replaced 3) Page 6/13



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## 305230001 - CATALIZADOR EPOXI AGUA COMPONENTE B







# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Decomposition temperature: Not relevant \* Melting point/freezing point: Not relevant \*

Flammability:

Flash Point: Non Flammable (>60 °C)

Flammability (solid, gas):

Autoignition temperature:

Lower flammability limit:

Upper flammability limit:

Not relevant \*

Not relevant \*

Not relevant \*

Particle characteristics:

Median equivalent diameter: Not relevant \*

## 9.2 Other information:

#### Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable

Not relevant \*

Not relevant \*

Not relevant \*

components:
Other safety characteristics:

Surface tension at 20 °C: Not relevant \* Refraction index: Not relevant \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

#### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

## 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

# 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

1					
	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

## 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

# 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide  $(CO_2)$ , carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Date of compilation: 16/12/2022 Revised: 19/07/2024 Version: 4 (Replaced 3) Page 7/13



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## 305230001 - CATALIZADOR EPOXI AGUA COMPONENTE B







# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

## **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

#### A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Produces skin inflammation.
  - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: Bis-[4-(2,3-epoxipropoxi)phenyl]propane (3)

- Mutagenicity: Exposure to this product can cause genetic modifications. For more specific information on the possible health effects see section 2.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

## Other information:

Not relevant

#### Specific toxicology information on the substances:

Identification	Identification Acute toxicity		Genus
[(p-tolyloxy)methyl]oxirane	LD50 oral	>5000 mg/kg	Rat
CAS: 2210-79-9 EC: 218-645-3	LD50 dermal		
	LC50 inhalation		
	LC50 inhalation vapour		

## 11.2 Information on other hazards:

# **Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

## Other information

Date of compilation: 16/12/2022 Revised: 19/07/2024 Version: 4 (Replaced 3) **Page 8/13** 



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# 305230001 - CATALIZADOR EPOXI AGUA COMPONENTE B







# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Not relevant

# SECTION 12: ECOLOGICAL INFORMATION \*\*

Toxic to aquatic life with long lasting effects.

## 12.1 Toxicity:

# **Product-specific aquatic toxicity:**

Acute toxicity		Species	Genus	
LC50	2,15 mg/L (96 h)	Not relevant	Fish	
EC50	1,93 mg/L (48 h)	Not relevant	Crustacean	
EC50	7,76 mg/L (72 h)	Not relevant	Algae	

## Substance-specific aquatic toxicity:

## **Acute toxicity:**

Identification		Concentration	Species	Genus
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	LC50	2 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 1675-54-3	EC50	1,7 mg/L (48 h)	Daphnia magna	Crustacean
EC: 216-823-5	EC50	9,4 mg/L (72 h)	Scenedesmus subspicatus	Algae
[(p-tolyloxy)methyl]oxirane	LC50	2,8 mg/L	Oncorhynchus mykiss Fis	
CAS: 2210-79-9	9 EC50 3,3 mg/L (48 h) Daphnia magna		Crustacean	
EC: 218-645-3	EC50	5,1 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae

# **Chronic toxicity:**

Identification	Concentration		Species	Genus
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	NOEC	Not relevant		
CAS: 1675-54-3 EC: 216-823-5	NOEC	0,3 mg/L	Daphnia magna	Crustacean

# 12.2 Persistence and degradability:

# **Substance-specific information:**

Identification	Degradability		Biodegradability	
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	BOD5	Not relevant	Concentration	Not relevant
CAS: 1675-54-3	COD	Not relevant	Period	28 days
EC: 216-823-5	BOD5/COD	Not relevant	% Biodegradable	5 %
[(p-tolyloxy)methyl]oxirane	BOD5	Not relevant	Concentration	10 mg/L
CAS: 2210-79-9	COD	Not relevant	Period	28 days
EC: 218-645-3	BOD5/COD	Not relevant	% Biodegradable	11 %

# 12.3 Bioaccumulative potential:

# **Substance-specific information:**

Identification	Bioaccumulation potential		
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	BCF	31	
CAS: 1675-54-3	Pow Log	3	
EC: 216-823-5	Potential	Moderate	
[(p-tolyloxy)methyl]oxirane	BCF		
CAS: 2210-79-9	Pow Log	2.5	
EC: 218-645-3	Potential		

# 12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	Koc	450	Henry	Not relevant
CAS: 1675-54-3	Conclusion	Low	Dry soil	Not relevant
EC: 216-823-5	Surface tension	Not relevant	Moist soil	Not relevant
[(p-tolyloxy)methyl]oxirane	Koc	210	Henry	Not relevant
CAS: 2210-79-9	Conclusion	Moderate	Dry soil	Not relevant
EC: 218-645-3	Surface tension	Not relevant	Moist soil	Not relevant

<sup>\*\*</sup> Changes with regards to the previous version

Date of compilation: 16/12/2022 Revised: 19/07/2024 Version: 4 (Replaced 3) Page 9/13



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# 305230001 - CATALIZADOR EPOXI AGUA COMPONENTE B







# SECTION 12: ECOLOGICAL INFORMATION \*\* (continued)

#### 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

## 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

#### 12.7 Other adverse effects:

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	Hazardous

# Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP11 Mutagenic, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION

# Transport of dangerous goods by land:

With regard to ADR 2025 and RID 2025:



14.1 UN number or ID number: UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis-14.2 UN proper shipping name:

[4-(2,3-epoxipropoxi)phenyl]propane)

14.3 Transport hazard class(es):

Labels: 9

14.4 Packing group: III 14.5 Environmental hazards: 14.6 Special precautions for user

Special regulations: 274, 335, 375, 601, 650

Tunnel restriction code:

Physico-Chemical properties: see section 9

Limited quantities: 5 L

14.7 Maritime transport in bulk

according to IMO instruments:

Not relevant

# Transport of dangerous goods by sea:

With regard to IMDG 41-22:

- CONTINUED ON NEXT PAGE -Date of compilation: 16/12/2022 Revised: 19/07/2024 Version: 4 (Replaced 3) Page 10/13

<sup>\*\*</sup> Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### 305230001 - CATALIZADOR EPOXI AGUA COMPONENTE B







# SECTION 14: TRANSPORT INFORMATION (continued)

**14.1 UN number or ID number:** UN3082

**14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis-

[4-(2,3-epoxipropoxi)phenyl]propane)

**14.3** Transport hazard class(es): 9

Labels: 9 **Packing group:** III

14.4 Packing group: III
14.5 Marine pollutant: Yes

14.6 Special precautions for user

Special regulations: 335, 969, 274
EmS Codes: F-A, S-F
Physico-Chemical properties: see section 9

Limited quantities: 5 L

Segregation group: Not relevant **14.7 Maritime transport in bulk** Not relevant

according to IMO instruments:

Transport of dangerous goods by air:

With regard to IATA/ICAO 2025:

**14.1 UN number or ID number:** UN3082

14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis-

[4-(2,3-epoxipropoxi)phenyl]propane)

**14.3** Transport hazard class(es): 9

Labels: 9
14.4 Packing group: III
14.5 Environmental hazards: Yes

14.6 Special precautions for user

Physico-Chemical properties: see section 9

14.7 Maritime transport in bulk according to IMO instruments:

Not relevant

# **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EU) 2019/1021 on persistent organic pollutants: Not relevant
- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

#### Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
E2	ENVIRONMENTAL HAZARDS	200	500

# Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- —tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## 305230001 - CATALIZADOR EPOXI AGUA COMPONENTE B







## SECTION 15: REGULATORY INFORMATION (continued)

The product could be affected by sectorial legislation

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

## SECTION 16: OTHER INFORMATION

## Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

## Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 12):

· New declared substances

Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1675-54-3)

· Removed substances

Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1675-54-3)

Substances that contribute to the classification (SECTION 2):

· New declared substances

Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1675-54-3)

· Removed substances

Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1675-54-3)

## Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H341: Suspected of causing genetic defects.

H411: Toxic to aquatic life with long lasting effects.

H319: Causes serious eye irritation.

# Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

# CLP Regulation (EC) No 1272/2008:

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Muta. 2: H341 - Suspected of causing genetic defects.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

# Classification procedure:

Skin Irrit. 2: Calculation method Skin Sens. 1: Calculation method

Muta. 2: Calculation method

Aquatic Chronic 2: Calculation method

Eye Irrit. 2: Calculation method

# Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

# **Principal bibliographical sources:**

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

Date of compilation: 16/12/2022 Revised: 19/07/2024 Version: 4 (Replaced 3) Page 12/13



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# 305230001 - CATALIZADOR EPOXI AGUA COMPONENTE B







# SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET 
Date of compilation: 16/12/2022 Revised: 19/07/2024 Version: 4 (Replaced 3) Page 13/13