

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any

country-specific legislation

310200002 - CATALIZADOR BARRERA TEMPORAL

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

310200002 - CATALIZADOR BARRERA TEMPORAL

Other means of identification: UFI:

8UP9-D0U2-700D-PDY8

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Industrial paint. For professional users/industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

EUPINCA C/ Londres, 13 - Pol. Ind. Cabezo Beaza 30353 Cartagena - Murcia - España Phone: +34 968089000 info@grupotkrom.com https://www.tkrom.com/

1.4 Emergency telephone number: +34 968 08 90 00 (Oficce hours)

SECTION 2: HAZARDS IDENTIFICATION **

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Acute Tox. 4: Acute toxicity, Category 4, H302+H332 Aquatic Acute 1: Hazardous to the aquatic environment, acute hazard, Category 1, H400 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard, Category 1, H410 Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Corr. 1C: Skin corrosion, Category 1C, H314 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Skin Corr. 1C: H314 - Causes severe skin burns and eye damage. Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Substances that contribute to the classification

Fatty acids C18 unsat, reaction products with triethylenetetramine; Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine; benzyl alcohol; 3-aminopropyldimethylamine

2.3 Other hazards:

** Changes with regards to the previous version



310200002 - CATALIZADOR BARRERA TEMPORAL

SECTION 2: HAZARDS IDENTIFICATION ** (continued)

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of pigments and resins

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification				
CAS:	1226892-44-9 629-765-4	Fatty acids C18 unsa	t, reaction products with triethylenetetramine ¹ Self-classified				
REACH:	Non-applicable 01-2119490750-36- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: () 🔷 🎕 H314; Skin Sens. 1A: H317 - Danger	50 - <75 %			
CAS: EC:	68082-29-1 500-191-5	Fatty acids, C18-uns and triethylenetetra	atd., dimers, oligomeric reaction products with tall-oil fatty acids Self-classified nine ¹				
	Non-applicable 01-2119972320-44- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1A:	25 - <50 %			
CAS:	100-51-6	benzyl alcohol 1	ATP CLP00				
	202-859-9 603-057-00-5 01-2119492630-38- XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H332 - Warning	10 - <25 %			
CAS:	90-72-2	2,4,6-tris(dimethyla	ninomethyl)phenol ¹ ATP CLP00				
	202-013-9 603-069-00-0 01-2119560597-27- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	1 - <2,5 %			
CAS:	109-55-7	3-aminopropyldimet	hylamine 1 ATP CLP00				
Index:	203-680-9 Non-applicable 01-2119486842-27- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Flam. Liq. 3: H226; Skin Corr. 1B: H314; Skin Sens. 1: H317 - 👔 🔅 🔕	1 - <2,5 %			

¹ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification		M-factor
Fatty acids C18 unsat, reaction products with triethylenetetramine	Acute	1
CAS: 1226892-44-9 EC: 629-765-4	Chronic	10

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acu	Genus	
benzyl alcohol	LD50 oral	500 mg/kg (ATEi)	Rat
CAS: 100-51-6	LD50 dermal	Non-applicable	
EC: 202-859-9	LC50 inhalation	11 mg/L (ATEi)	
2,4,6-tris(dimethylaminomethyl)phenol	LD50 oral	1200 mg/kg (ATEi)	Rat
CAS: 90-72-2	LD50 dermal	Non-applicable	
EC: 202-013-9	LC50 inhalation	Non-applicable	
3-aminopropyldimethylamine	LD50 oral	1870 mg/kg (ATEi)	Rat
CAS: 109-55-7	LD50 dermal	Non-applicable	
EC: 203-680-9	LC50 inhalation	Non-applicable	



310200002 - CATALIZADOR BARRERA TEMPORAL

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

310200002 - CATALIZADOR BARRERA TEMPORAL

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A	Technical	measures for	storage
	Minimum	Temp.:	5 ⁰C

Maximum Temp.: 30 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):





SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Fatty acids C18 unsat, reaction products with triethylenetetramine	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1226892-44-9	Dermal	Non-applicable	Non-applicable	0,1 mg/kg	Non-applicable
EC: 629-765-4	Inhalation	Non-applicable	Non-applicable	0,492 mg/m ³	Non-applicable
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68082-29-1	Dermal	Non-applicable	Non-applicable	1,1 mg/kg	Non-applicable
EC: 500-191-5	Inhalation	Non-applicable	Non-applicable	3,9 mg/m ³	Non-applicable
benzyl alcohol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 100-51-6	Dermal	40 mg/kg	Non-applicable	8 mg/kg	Non-applicable
EC: 202-859-9	Inhalation	110 mg/m ³	Non-applicable	22 mg/m ³	Non-applicable
2,4,6-tris(dimethylaminomethyl)phenol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 90-72-2	Dermal	Non-applicable	Non-applicable	0,15 mg/kg	Non-applicable
EC: 202-013-9	Inhalation	Non-applicable	Non-applicable	0,53 mg/m ³	Non-applicable
3-aminopropyldimethylamine	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 109-55-7	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 203-680-9	Inhalation	Non-applicable	Non-applicable	1,2 mg/m ³	Non-applicable

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Fatty acids C18 unsat, reaction products with triethylenetetramine	Oral	Non-applicable	Non-applicable	0,05 mg/kg	Non-applicable
CAS: 1226892-44-9	Dermal	Non-applicable	Non-applicable	0,05 mg/kg	Non-applicable
EC: 629-765-4	Inhalation	Non-applicable	Non-applicable	0,09 mg/m ³	Non-applicable
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	Oral	Non-applicable	Non-applicable	0,56 mg/kg	Non-applicable
CAS: 68082-29-1	Dermal	Non-applicable	Non-applicable	0,56 mg/kg	Non-applicable
EC: 500-191-5	Inhalation	Non-applicable	Non-applicable	0,97 mg/m ³	Non-applicable
benzyl alcohol	Oral	20 mg/kg	Non-applicable	4 mg/kg	Non-applicable
CAS: 100-51-6	Dermal	20 mg/kg	Non-applicable	4 mg/kg	Non-applicable
EC: 202-859-9	Inhalation	27 mg/m ³	Non-applicable	5,4 mg/m ³	Non-applicable
2,4,6-tris(dimethylaminomethyl)phenol	Oral	Non-applicable	Non-applicable	0,075 mg/kg	Non-applicable
CAS: 90-72-2	Dermal	Non-applicable	Non-applicable	0,075 mg/kg	Non-applicable
EC: 202-013-9	Inhalation	Non-applicable	Non-applicable	0,13 mg/m ³	Non-applicable

PNEC:

Identification				
Fatty acids C18 unsat, reaction products with triethylenetetramine	STP	5,57 mg/L	Fresh water	0,0254 mg/L
CAS: 1226892-44-9	Soil	9,44 mg/kg	Marine water	0,00254 mg/L
EC: 629-765-4	Intermittent	0,00294 mg/L	Sediment (Fresh water)	99,4 mg/kg
	Oral	0,002 g/kg	Sediment (Marine water)	9,94 mg/kg
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	STP	3,84 mg/L	Fresh water	0,004 mg/L
CAS: 68082-29-1	Soil	86,78 mg/kg	Marine water	0 mg/L
EC: 500-191-5	Intermittent	0,043 mg/L	Sediment (Fresh water)	434,02 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	43,4 mg/kg
benzyl alcohol	STP	39 mg/L	Fresh water	1 mg/L
CAS: 100-51-6	Soil	0,456 mg/kg	Marine water	0,1 mg/L
EC: 202-859-9	Intermittent	2,3 mg/L	Sediment (Fresh water)	5,27 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,527 mg/kg
2,4,6-tris(dimethylaminomethyl)phenol	STP	0,2 mg/L	Fresh water	0,046 mg/L
CAS: 90-72-2	Soil	0,025 mg/kg	Marine water	0,005 mg/L
EC: 202-013-9	Intermittent	0,46 mg/L	Sediment (Fresh water)	0,262 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,026 mg/kg





310200002 - CATALIZADOR BARRERA TEMPORAL

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
3-aminopropyldimethylamine	STP	10 mg/L	Fresh water	0,073 mg/L
CAS: 109-55-7	Soil	0,104 mg/kg	Marine water	0,007 mg/L
EC: 203-680-9	Intermittent	0,34 mg/L	Sediment (Fresh water)	0,735 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,073 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Butyl)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Face shield	CAT II	EN 166:2002 EN 167:2002 EN 168:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory complete body protection	Disposable clothing for protection against chemical risks		EN 13034:2005+A1:2009 EN 168:2002 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6530:2005 EN 464:1994	For professional use only. Clean periodically according to the manufacturer's instructions.
Mandatory foot protection	Safety footwear for protection against chemical risk		EN ISO 20345:2011 EN 13832-1:2019	Replace boots at any sign of deterioration.

F.- Additional emergency measures

	Emergency measure	Standards	Emergency measure	Standards
	+	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	©+ T	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
	Emergency shower		Eyewash stations	
_				

Environmental exposure controls:



١

Annearance

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

310200002 - CATALIZADOR BARRERA TEMPORAL

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D **Volatile organic compounds:**

With regard to Directive 2010/75/EU, this product has the following characteristics:

۷.	O.C. (Supply):	1 % weight
V.	O.C. density at 20 °C:	9,55 kg/m³ (9,55 g/L)
Av	verage carbon number:	5
Av	verage molecular weight:	102,2 g/mol
With r	regard to Directive 2004/42/EC, thi	is product which is ready to use has the following characteristics:
V.	O.C. density at 20 °C:	152,78 kg/m³ (152,78 g/L)
EL	J limit for the product (Cat. A.J): 5	500 g/L (2010)
Co	omponents:	Non-applicable

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:	
Physical state at 20 °C:	Liquid
Appearance:	Characteristic
Colour:	According to the markings on the package
Odour:	Characteristic
Odour threshold:	Non-applicable *
Volatility:	
Boiling point at atmospheric pressure:	198 °C
Vapour pressure at 20 °C:	29 Pa
Vapour pressure at 50 °C:	242,27 Pa (0,24 kPa)
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	954,9 kg/m³
Relative density at 20 °C:	0,955
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Flammability:	
Flash Point:	Non Flammable (>60 °C)
Flammability (solid, gas):	Non-applicable *
*Not relevant due to the nature of the product, not providir	ng information property of its hazards.



310200002 - CATALIZADOR BARRERA TEMPORAL



SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	ES (continued)			
	Autoignition temperature:	436 ºC			
	Lower flammability limit:	Non-applicable *			
	Upper flammability limit:	Non-applicable *			
	Particle characteristics:				
	Median equivalent diameter:	Non-applicable			
9.2	Other information:				
	Information with regard to physical hazard clas	sses:			
	Explosive properties:	Non-applicable *			
	Oxidising properties:	Non-applicable *			
	Corrosive to metals:	Non-applicable *			
	Heat of combustion:	Non-applicable *			
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *			
	Other safety characteristics:				
	Surface tension at 20 °C:	Non-applicable *			
	Refraction index:	Non-applicable *			
	*Not relevant due to the nature of the product, not providing info	ormation property of its hazards.			

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

Contains substances which require external energy for spontaneous decomposition. Form explosive peroxides when distilled, evaporated or otherwise concentrated.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure: A- Ingestion (acute effect):





310200002 - CATALIZADOR BARRERA TEMPORAL

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Acute toxicity: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.
- B- Inhalation (acute effect):
 - Acute toxicity : Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.
 - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
 - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances election as hazardous for this effect. For more information see section 2
 - it does not contain substances classified as hazardous for this effect. For more information see section 3.
 Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
 - hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Ad	Acute toxicity		
benzyl alcohol	LD50 oral	500 mg/kg (ATEi)	Rat	
CAS: 100-51-6	LD50 dermal	2500 mg/kg		
EC: 202-859-9	LC50 inhalation	11 mg/L (ATEi)		
2,4,6-tris(dimethylaminomethyl)phenol	LD50 oral	1200 mg/kg (ATEi)	Rat	
CAS: 90-72-2	LD50 dermal	Non-applicable		
EC: 202-013-9	LC50 inhalation	Non-applicable		
3-aminopropyldimethylamine	LD50 oral	1870 mg/kg (ATEi)	Rat	
CAS: 109-55-7	LD50 dermal	Non-applicable		
EC: 203-680-9	LC50 inhalation	Non-applicable		

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.





310200002 - CATALIZADOR BARRERA TEMPORAL

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects.

12.1 Toxicity:

Product-specific aquatic toxicity:

Acute toxicity		Species	Genus	
LC50	0,36 mg/L (96 h)	Non-applicable	Fish	

Substance-specific aquatic toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Fatty acids C18 unsat, reaction products with triethylenetetramine	LC50	0,19 mg/L (96 h)	Danio rerio	Fish
CAS: 1226892-44-9	EC50	0,18 mg/L (48 h)	Daphnia magna	Crustacean
EC: 629-765-4	EC50	0,476 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	LC50	7 mg/L (96 h)	Danio rerio	Fish
CAS: 68082-29-1	EC50	7 mg/L (48 h)	Daphnia magna	Crustacean
EC: 500-191-5	EC50	4 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
benzyl alcohol	LC50	646 mg/L (48 h)	Leuciscus idus	Fish
CAS: 100-51-6	EC50	400 mg/L (24 h)	Daphnia magna	Crustacean
EC: 202-859-9	EC50	79 mg/L (3 h)	Scenedesmus subspicatus	Algae
2,4,6-tris(dimethylaminomethyl)phenol	LC50	345 mg/L (96 h)	QSAR	Fish
CAS: 90-72-2	EC50	Non-applicable		
EC: 202-013-9	EC50	Non-applicable		
3-aminopropyldimethylamine	LC50	122 mg/L (96 h)	Leuciscus idus	Fish
CAS: 109-55-7	EC50	68,3 mg/L (24 h)	Daphnia magna	Crustacean
EC: 203-680-9	EC50	56,2 mg/L (72 h)	Scenedesmus subspicatus	Algae

Chronic toxicity:

Identification		Concentration	Species	Genus
Fatty acids C18 unsat, reaction products with triethylenetetramine		Non-applicable		
CAS: 1226892-44-9 EC: 629-765-4	NOEC	0,27 mg/L	Daphnia magna	Crustacean
benzyl alcohol	NOEC	48,897 mg/L	N/A	Fish
CAS: 100-51-6 EC: 202-859-9	NOEC	51 mg/L	Daphnia magna	Crustacean
3-aminopropyldimethylamine	NOEC	Non-applicable		
CAS: 109-55-7 EC: 203-680-9	NOEC	3,64 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	De	gradability	Biodeg	pradability	
Fatty acids C18 unsat, reaction products with triethylenetetramine	BOD5	Non-applicable	Concentration	150 mg/L	
CAS: 1226892-44-9	COD	Non-applicable	Period	28 days	
EC: 629-765-4	BOD5/COD	Non-applicable	% Biodegradable	22,7 %	
benzyl alcohol	BOD5	Non-applicable	Concentration	100 mg/L	
CAS: 100-51-6	COD	Non-applicable	Period	14 days	
EC: 202-859-9	BOD5/COD	Non-applicable	% Biodegradable	94 %	
Bioaccumulative potential:					

12.3 Bioaccumulative potential:

Substance-specific information:





SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification		Bioaccumulation potential		
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	BCF	77		
CAS: 68082-29-1	Pow Log			
EC: 500-191-5	Potential	Moderate		
benzyl alcohol	BCF	0.3		
CAS: 100-51-6	Pow Log	1.1		
EC: 202-859-9	Potential	Low		
2,4,6-tris(dimethylaminomethyl)phenol	BCF	3		
CAS: 90-72-2	Pow Log	0.77		
EC: 202-013-9	Potential	Low		

12.4 Mobility in soil:

Identification	Absorp	Absorption/desorption		Volatility	
Fatty acids C18 unsat, reaction products with triethylenetetramine	Кос	940000	Henry	Non-applicable	
CAS: 1226892-44-9	Conclusion	Immobile	Dry soil	Non-applicable	
EC: 629-765-4	Surface tension	Non-applicable	Moist soil	Non-applicable	
benzyl alcohol	Кос	Non-applicable	Henry	Non-applicable	
CAS: 100-51-6	Conclusion	Non-applicable	Dry soil	Non-applicable	
EC: 202-859-9	Surface tension	3,679E-2 N/m (25 °C)	Moist soil	Non-applicable	
2,4,6-tris(dimethylaminomethyl)phenol	Кос	15130	Henry	9,312E-12 Pa·m ³ /mol	
CAS: 90-72-2	Conclusion	Immobile	Dry soil	No	
EC: 202-013-9	Surface tension	Non-applicable	Moist soil	No	

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	Hazardous	

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP13 Sensitising, HP8 Corrosive

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:





SECTION 14: TRANSPOR	ECTION 14: TRANSPORT INFORMATION (continued)				
14 14 14	 UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user 	UN3066 PAINT 8 8 III Yes			
	Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities: .7 Maritime transport in bulk according to IMO	163, 367 E see section 9 5 L Non-applicable			
	instruments:				
	erous goods by sea:				
14 14 14 14 14 14	 40-20: 1 UN number or ID number: 2 UN proper shipping name: 3 Transport hazard class(es): Labels: 4 Packing group: 5 Marine pollutant: 6 Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: 7 Maritime transport in bulk according to IMO instruments: 	UN3066 PAINT 8 8 1II Yes 223, 367, 163 F-A, S-B see section 9 5 L Non-applicable Non-applicable			
Transport of dange	erous goods by air:				
With regard to IATA/	ICAO 2023:				
	 UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: 	UN3066 PAINT 8 8			
14	.4 Packing group:.5 Environmental hazards:.6 Special precautions for user	III Yes			
	Physico-Chemical properties:	see section 9			
14	.7 Maritime transport in bulk according to IMO instruments:	Non-applicable			

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable Article 95, REGULATION (EU) No 528/2012: Non-applicable





SECTION 15: REGULATORY INFORMATION (continued)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements		
E1	ENVIRONMENTAL HAZARDS	100	200		
Limitations to commercialization and the use of cortain dangerous substances and mixtures (Annex XVIII PEACH					

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

Precautionary statements

Texts of the legislative phrases mentioned in section 2:

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H317: May cause an allergic skin reaction.

H302+H332: Harmful if swallowed or if inhaled.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.
Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled.
Aquatic Acute 1: H400 - Very toxic to aquatic life.
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Eye Dam. 1: H318 - Causes serious eye damage.
Eye Irrit. 2: H319 - Causes serious eye irritation.
Flam. Liq. 3: H226 - Flammable liquid and vapour.
Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.
Skin Irrit. 2: H315 - Causes skin irritation.
Skin Sens. 1: H317 - May cause an allergic skin reaction.
Classification procedure:





310200002 - CATALIZADOR BARRERA TEMPORAL

SECTION 16: OTHER INFORMATION (continued)

Skin Corr. 1C: Calculation method

Eye Dam. 1: Calculation method Aquatic Acute 1: Calculation method Aquatic Chronic 1: Calculation method Skin Sens. 1A: Calculation method Acute Tox. 4: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.