

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

!

314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 Product identifier: 314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

Other means of identification:

UFI:

0FPA-K01D-8001-5XF7

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses (Professional users): Industrial paint Relevant uses (Industrial user): Industrial paint For Professional users/Industrial user only. Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

EUPINCA C/ Londres, 13 - Pol. Ind. Cabezo Beaza 30353 Cartagena - Murcia - España Phone: +34 968089000 info@grupotkrom.com https://www.tkrom.com/

1.4 Emergency telephone number: +34 968 08 90 00 (Oficce hours)

SECTION 2: HAZARDS IDENTIFICATION **

2.1 Classification of the substance or mixture:

This product contains crystalline silica but due to its liquid state it prevents particles within the size range of the breathable fraction from becoming airborne, therefore, the hazard classification linked to it does not apply to the breathable crystalline silica fraction (STOT RE).

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411

Eye Irrit. 2: Eye irritation, Category 2, H319 Repr. 1A: Reproductive toxicity, Category 1A, H360F Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317 STOT RE 1: Specific target organ toxicity — Repeated exposure, Hazard Category 1 (Inhalation), H372

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation. Repr. 1A: H360F - May damage fertility. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction. STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure (Inhalation). **Precautionary statements:** P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P201: Obtain special instructions before use. P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear. P302+P352: IF ON SKIN: Wash with plenty of water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

** Changes with regards to the previous version



314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

SECTION 2: HAZARDS IDENTIFICATION ** (continued)

Supplementary information:

EUH205: Contains epoxy constituents. May produce an allergic reaction.

Contains Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol, Pine oil, Fatty acids, C14-18 and C16-18-unsatd., maleated.

Substances that contribute to the classification

Quartz (RCS > 10%); EPOTEC RD 108; maleic anhydride

Additional Labelling:

Restricted to professional users

2.3 Other hazards:

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Not relevant

3.2 Mixture:

Chemical description: Mixture composed of pigments and resins

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentratio	
CAS:	14808-60-7	Quartz (RCS > 10%) ⁽¹⁾) Self-classified	1	
	238-878-4 Not relevant 01-2120770509-45- XXXX	Regulation 1272/2008	STOT RE 1: H372 - Danger	25 - <50 %	
CAS:	1675-54-3	Bis-[4-(2,3-epoxiprop	oxi)phenyl]propane ⁽¹⁾ Self-classified	1	
	216-823-5 603-073-00-2 01-2119456619-26- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - 🔶 🌢	25 - <50 %	
EC:	Not relevant 701-263-0	Formaldehyde, oligo phenol ⁽¹⁾	meric reaction products with 1-chloro-2,3-epoxypropane and Self-classified	1	
	Not relevant 01-2119454392-40- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	10 - <25 %	
	68609-97-2 Not relevant Not relevant Not relevant	EPOTEC RD 108 ⁽¹⁾ Self-classified			
		Regulation 1272/2008	Repr. 1A: H360F; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	2,5 - <10 %	
CAS:	8002-09-3	Pine oil ⁽¹⁾ Self-classified			
	Not relevant Not relevant Not relevant	Regulation 1272/2008	Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Eye Irrit. 2: H319; Flam. Liq. 3: H226; Skin Sens. 1: H317 - Danger	<1 %	
CAS:	68609-97-2	oxirane, mono[(C12-1	4-alkyloxy)methyl] derivs. ⁽¹⁾ ATP CLP00		
REACH:	271-846-8 603-103-00-4 01-2119485289-22- XXXX	Regulation 1272/2008	Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	<1 %	
CAS:	85711-46-2	Fatty acids, C14-18 and C16-18-unsatd., maleated ⁽¹⁾ Self-classified			
	288-306-2 Not relevant 01-2119976378-19- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	<1 %	
	1330-20-7	Xylene ⁽²⁾	Self-classified	1	
REACH:	215-535-7 601-022-00-9 01-2119488216-32- XXXX	Regulation 1272/2008	Acute Tox. 4: H312+H332; Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Eye Irrit. 2: H319; Flam. Liq. 3: H226; Skin Irrit. 2: H315; STOT RE 2: H373; STOT SE 3: H335 - Danger	<1 %	

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 ⁽²⁾ Substance with a Union workplace exposure limit

** Changes with regards to the previous version





314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

	Identification		Chemical name/Classification				
CAS:	100-41-4	Ethylbenzene ⁽²⁾	ATP ATP06				
EC: Index: REACH:	202-849-4 601-023-00-4 01-2119489370-35- XXXX	Regulation 1272/2008	Acute Tox. 4: H332; Asp. Tox. 1: H304; Flam. Liq. 2: H225; STOT RE 2: H373 - 🚯 🗘 🔇	<1 %			
CAS:	108-31-6	maleic anhydride ⁽¹⁾	ATP ATP13				
EC: Index: REACH:	203-571-6 607-096-00-9 01-2119472428-31- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318; Resp. Sens. 1: H334; Skin Corr. 1B: H314; Skin Sens. 1A: H317; STOT RE 1: H372; EUH071 - Danger	<1 %			
CAS:	108-88-3	Toluene ⁽²⁾	ATP CLP00				
EC: Index: REACH:	203-625-9 601-021-00-3 01-2119471310-51- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304; Flam. Liq. 2: H225; Repr. 2: H361d; Skin Irrit. 2: H315; STOT RE 2: H373; STOT SE 3: H336 - Danger	<1 %			

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

⁽²⁾ Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
Bis-[4-(2,3-epoxipropoxi)phenyl]propane CAS: 1675-54-3 EC: 216-823-5	% (w/w) >=5: Skin Irrit. 2 - H315 % (w/w) >=5: Eye Irrit. 2 - H319
maleic anhydride CAS: 108-31-6 EC: 203-571-6	% (w/w) >=0,001: Skin Sens. 1A - H317

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification		Acute	Genus	
Xylene		LD50 oral	Not relevant	
CAS: 1330-20-7		LD50 dermal	1100 mg/kg	Rat
EC: 215-535-7		LC50 inhalation vapour	17 mg/L	Rat
Ethylbenzene		LD50 oral	Not relevant	
CAS: 100-41-4 EC: 202-849-4		LD50 dermal	Not relevant	
		LC50 inhalation vapour	17,2 mg/L	Rat
maleic anhydride		LD50 oral	1090 mg/kg	Rat
CAS: 108-31-6 EC: 203-571-6		LD50 dermal	Not relevant	
		LC50 inhalation vapour	Not relevant	

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any

country-specific legislation



314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

SECTION 4: FIRST AID MEASURES (continued)

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

PREGNANT WOMEN SHOULD NOT BE EXPOSED TO THIS PRODUCT. Transfer in designated areas that comply with the necessary safety conditions (emergency showers and eyewash stations in close proximity), using personal protection equipment, especially on the hands and face (See section 8). Limit manual transfers to small amounts only. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits			
Quartz (RCS > 10%)	IOELV (8h)		0,1 mg/m ³	
CAS: 14808-60-7 EC: 238-878-4	IOELV (STEL)			
Xylene ⁽¹⁾	IOELV (8h)	50 ppm	221 mg/m ³	
CAS: 1330-20-7 EC: 215-535-7	IOELV (STEL)	100 ppm	442 mg/m ³	
Ethylbenzene (1)	IOELV (8h)	100 ppm	442 mg/m ³	



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any

country-specific legislation



314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Identification	Occupational exposure limits			
CAS: 100-41-4	EC: 202-849-4	IOELV (STEL)	200 ppm	884 mg/m ³	
Toluene (1)		IOELV (8h)	50 ppm	192 mg/m ³	
CAS: 108-88-3	EC: 203-625-9	IOELV (STEL)	100 ppm	384 mg/m ³	

⁽¹⁾ Skin

DNEL (Workers):

		Short e	xposure	Long e	Long exposure	
Identification		Systemic	Local	Systemic	Local	
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 1675-54-3	Dermal	Not relevant	Not relevant	0,75 mg/kg	Not relevant	
EC: 216-823-5	Inhalation	Not relevant	Not relevant	4,93 mg/m ³	Not relevant	
Formaldehyde, oligomeric reaction products with 1-chloro- 2,3-epoxypropane and phenol	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: Not relevant	Dermal	Not relevant	Not relevant	104,15 mg/kg	Not relevant	
EC: 701-263-0	Inhalation	Not relevant	Not relevant	29,39 mg/m ³	Not relevant	
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 68609-97-2	Dermal	Not relevant	Not relevant	1 mg/kg	Not relevant	
EC: 271-846-8	Inhalation	Not relevant	Not relevant	3,6 mg/m ³	Not relevant	
Fatty acids, C14-18 and C16-18-unsatd., maleated	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 85711-46-2	Dermal	Not relevant	Not relevant	3 mg/kg	Not relevant	
EC: 288-306-2	Inhalation	Not relevant	Not relevant	Not relevant	Not relevant	
Xylene	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 1330-20-7	Dermal	Not relevant	Not relevant	212 mg/kg	Not relevant	
EC: 215-535-7	Inhalation	442 mg/m ³	442 mg/m ³	221 mg/m ³	221 mg/m ³	
Ethylbenzene	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 100-41-4	Dermal	Not relevant	Not relevant	180 mg/kg	Not relevant	
EC: 202-849-4	Inhalation	Not relevant	293 mg/m ³	77 mg/m ³	Not relevant	
maleic anhydride	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 108-31-6	Dermal	Not relevant	Not relevant	Not relevant	Not relevant	
EC: 203-571-6	Inhalation	0,2 mg/m ³	0,2 mg/m ³	0,081 mg/m ³	0,081 mg/m ³	
Toluene	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 108-88-3	Dermal	Not relevant	Not relevant	384 mg/kg	Not relevant	
EC: 203-625-9	Inhalation	384 mg/m ³	384 mg/m ³	192 mg/m ³	192 mg/m ³	

DNEL (General population):

		Short	: exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	Oral	Not relevant	Not relevant	0,5 mg/kg	Not relevant
CAS: 1675-54-3	Dermal	Not relevant	Not relevant	0,0893 mg/kg	Not relevant
EC: 216-823-5	Inhalation	Not relevant	Not relevant	0,87 mg/m ³	Not relevant
Formaldehyde, oligomeric reaction products with 1-chloro- 2,3-epoxypropane and phenol	Oral	Not relevant	Not relevant	6,25 mg/kg	Not relevant
CAS: Not relevant	Dermal	Not relevant	Not relevant	62,5 mg/kg	Not relevant
EC: 701-263-0	Inhalation	Not relevant	Not relevant	8,7 mg/m ³	Not relevant
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	Oral	Not relevant	Not relevant	0,5 mg/kg	Not relevant
CAS: 68609-97-2	Dermal	Not relevant	Not relevant	0,5 mg/kg	Not relevant
EC: 271-846-8	Inhalation	Not relevant	Not relevant	0,87 mg/m ³	Not relevant
Fatty acids, C14-18 and C16-18-unsatd., maleated	Oral	Not relevant	Not relevant	1,5 mg/kg	Not relevant
CAS: 85711-46-2	Dermal	Not relevant	Not relevant	1,5 mg/kg	Not relevant
EC: 288-306-2	Inhalation	Not relevant	Not relevant	Not relevant	Not relevant
Xylene	Oral	Not relevant	Not relevant	12,5 mg/kg	Not relevant
CAS: 1330-20-7	Dermal	Not relevant	Not relevant	125 mg/kg	Not relevant
EC: 215-535-7	Inhalation	260 mg/m ³	260 mg/m ³	65,3 mg/m ³	65,3 mg/m ³





314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long exposure		
Identification		Systemic	Local	Systemic	mic Local	
Ethylbenzene	Oral	Not relevant	Not relevant	1,6 mg/kg	Not relevant	
CAS: 100-41-4	Dermal	Not relevant	Not relevant	Not relevant	Not relevant	
EC: 202-849-4	Inhalation	Not relevant	Not relevant	15 mg/m ³	Not relevant	
Toluene	Oral	Not relevant	Not relevant	8,13 mg/kg	Not relevant	
CAS: 108-88-3	Dermal	Not relevant	Not relevant	226 mg/kg	Not relevant	
EC: 203-625-9	Inhalation	226 mg/m ³	226 mg/m ³	56,5 mg/m ³	56,5 mg/m ³	
PNEC:		-				
Identification						
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	STP	10 mg/L	Fresh water		0,006 mg/L	
CAS: 1675-54-3	Soil	0,065 mg/kg	Marine water		0,001 mg/L	
EC: 216-823-5	Intermittent	0,018 mg/L	Sediment (Fresh	water)	0,341 mg/kg	
	Oral	0,011 g/kg	Sediment (Marine	e water)	0,034 mg/kg	
Formaldehyde, oligomeric reaction products with 1-chloro- 2,3-epoxypropane and phenol	STP	10 mg/L	Fresh water		0,003 mg/L	
CAS: Not relevant	Soil	0,237 mg/kg	Marine water	Marine water		
EC: 701-263-0	Intermittent	0,025 mg/L	Sediment (Fresh	Sediment (Fresh water)		
	Oral	Not relevant	Sediment (Marine	e water)	0,029 mg/kg	
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	STP	10 mg/L	Fresh water		0,106 mg/L	
CAS: 68609-97-2	Soil	1,234 mg/kg	Marine water	Marine water		
EC: 271-846-8	Intermittent	0,072 mg/L	Sediment (Fresh	Sediment (Fresh water)		
	Oral	Not relevant	Sediment (Marine	e water)	30,72 mg/kg	
Fatty acids, C14-18 and C16-18-unsatd., maleated	STP	Not relevant	Fresh water		Not relevant	
CAS: 85711-46-2	Soil	Not relevant	Marine water		Not relevant	
EC: 288-306-2	Intermittent	Not relevant	Sediment (Fresh	water)	Not relevant	
	Oral	0,067 g/kg	Sediment (Marine	e water)	Not relevant	
Xylene	STP	6,58 mg/L	Fresh water		0,327 mg/L	
CAS: 1330-20-7	Soil	2,31 mg/kg	Marine water		0,327 mg/L	
EC: 215-535-7	Intermittent	0,327 mg/L	Sediment (Fresh	water)	12,46 mg/kg	
	Oral	Not relevant	Sediment (Marine	e water)	12,46 mg/kg	
Ethylbenzene	STP	9,6 mg/L	Fresh water		0,1 mg/L	
CAS: 100-41-4	Soil	2,68 mg/kg	Marine water		0,01 mg/L	
EC: 202-849-4	Intermittent	0,1 mg/L	Sediment (Fresh	water)	13,7 mg/kg	
	Oral	0,02 g/kg	Sediment (Marine	e water)	1,37 mg/kg	
maleic anhydride	STP	44,6 mg/L	Fresh water		0,038 mg/L	
CAS: 108-31-6	Soil	0,037 mg/kg	Marine water		0,004 mg/L	
EC: 203-571-6	Intermittent	0,379 mg/L	Sediment (Fresh	water)	0,296 mg/kg	
	Oral	Not relevant	Sediment (Marine	e water)	0,03 mg/kg	
Toluene	STP	13,61 mg/L	Fresh water		0,68 mg/L	
CAS: 108-88-3	Soil	2,89 mg/kg	Marine water		0,68 mg/L	
EC: 203-625-9	Intermittent	0,68 mg/L	Sediment (Fresh	water)	16,39 mg/kg	
	Oral	Not relevant	Sediment (Marin	e water)	16,39 mg/kg	

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

In accordance with the order of importance to control professional exposure (Directive 98/24/EC) it is recommended to use localized extraction in the work area as a collective protection measure to avoid exceeding the occupational exposure limits. In case of using personal protective equipment it should have CE marking in accordance with Directive 2016/425/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For additional information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection





314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

Pictogram		PPE	Labelling		CEN Standard		Remarks	
Mandatory respiratory tract protection	Filter m vapou	ask for gases and s (Filter type: A)		EN	405:2002+A1:2010	Replace when there is a taste or sm contaminant inside the face mask. contaminant comes with warning recommended to use isolation equi		
C Specific protect	ion for the	hands						
Pictogram		PPE	Labelling		CEN Standard		Remarks	
Mandatory hand protection	(Ma Breakth min, Th	l protective gloves aterial: Butyl, rough time: > 480 ickness: 0.7 mm)	CAT III		IN ISO 21420:2020		ace the gloves at any sign of deterioratic	
	and has the	e of several subs prefore to be che				rial car	n not be calculated in advance wit	
Pictogram		PPE	Labelling		CEN Standard		Remarks	
Mandatory face protection		Face shield	CATI	EN 166:2002 UNE-EN ISO 18526-1 al			Clean daily and disinfect periodically accordin the manufacturer's instructions. Use if there risk of splashing.	
E Body protection	1			•				
Pictogram		PPE	Labelling		CEN Standard	Remarks		
Mandatory complet body protection	protectio	able clothing for n against chemical risks		UN	I3034:2005+A1:2009 E-EN ISO 18526-1 al 4:2020 EN ISO 13982- 1:2005/A1:2011 EN ISO 6529:2013 EN ISO 6529:2013 EN ISO 6530:2005 EN 464:1995	.8526-1 al 0 .93982- For professional use only. Cli .2011 according to the manufacture 9:2013 0:2005		
Mandatory foot protection		ty footwear for n against chemical risk			EN ISO 20345:2022 EN 13832-1:2019	Re	place boots at any sign of deterioration.	
F Additional eme	gency mea	asures						
It is advised to situations wher	implement e risk asse	additional emer ssments highligh	gency equipme t the necessity	ents in of suc	workplaces that are h equipments.	e partic	ularly exposed to the product or	
Emergency r	neasure	St	andards		Emergency measu	ure	Standards	
Emergency	ANS ISO 3864-1:203 Emergency shower		5I Z358-1 11, ISO 3864-4:20	011	Eyewash station	IS	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011	
Environmental e	kposure c	ontrols:						
	ironmenta	protection regu			ended to prevent an	y spilla	ge of the product and its contain	

0,2 % weight
3,34 kg/m³ (3,34 g/L)
8,08
109,34 g/mol
is product which is ready to use has the following characteristics:
20,14 kg/m ³ (20,14 g/L)

Revised: 10/02/2025



! . .

314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

EU limit for the product (Cat. A.J): 500 g/L (2010) Components: Not relevant

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical pro	perties:
	For complete information see the product datasheet.	F
	Appearance:	
	Physical state at 20 °C:	Liquid
	Appearance:	Viscous
	Colour:	White
	Odour:	Not relevant *
	Odour threshold:	Not relevant *
	Volatility:	
	Boiling point at atmospheric pressure:	151 °C
	Vapour pressure at 20 °C:	1720 Pa
	Vapour pressure at 50 °C:	9060,21 Pa (9,06 kPa)
	Evaporation rate at 20 °C:	Not relevant *
	Product description:	
	Density at 20 °C:	1685,3 kg/m³
	Relative density at 20 °C:	1,685
	Dynamic viscosity at 20 °C:	Not relevant *
	Kinematic viscosity at 20 °C:	Not relevant *
	Kinematic viscosity at 40 °C:	>20,5 mm²/s
	Concentration:	Not relevant *
	pH:	Not relevant *
	Vapour density at 20 °C:	Not relevant *
	Partition coefficient n-octanol/water 20 °C:	Not relevant *
	Solubility in water at 20 °C:	Not relevant *
	Solubility properties:	Not relevant *
	Decomposition temperature:	Not relevant *
	Melting point/freezing point:	Not relevant *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Not relevant *
	Autoignition temperature:	392 °C
	Lower flammability limit:	Not relevant *
	Upper flammability limit:	Not relevant *
	Particle characteristics:	
	Median equivalent diameter:	Not relevant *
9.2	Other information:	
	Information with regard to physical hazard clas	ses:
	Explosive properties:	Not relevant *
	Oxidising properties:	Not relevant *
	Corrosive to metals:	Not relevant *
	*Not relevant due to the nature of the product, not providing info	rmation property of its hazards.



314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIE	ES (continued)
Heat of combustion:	Not relevant *
Aerosols-total percentage (by mass) of flammable components: Other safety characteristics:	Not relevant *
Surface tension at 20 °C:	Not relevant *
Refraction index:	Not relevant *
*Not relevant due to the nature of the product, not providing inf	ormation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
- IARC: Bis-[4-(2,3-epoxipropoxi)phenyl]propane (3); Xylene (3); Ethylbenzene (2B); Toluene (3); Quartz (RCS > 10%) (1) - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: May damage fertility.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Serious health effects in the case of prolonged inhalation, including death, serious functional disorders or morphological changes of toxicological importance.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Contains substances that have been listed by the International Agency for Research on Cancer (IARC) as Group 1 human carcinogens. However, exposure to such substances does not occur during normal use of products in which the substance is bound to other materials, such as rubber, inks, paints, etc., in a liquid state or polymer-encapsulated.

Specific toxicology information on the substances:

Identification	Acute	toxicity	Genus
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	LD50 oral	>5000 mg/kg	Rat
CAS: Not relevant	LD50 dermal		
EC: 701-263-0	LC50 inhalation		
Pine oil	LD50 oral	3200 mg/kg	Rat
CAS: 8002-09-3	LD50 dermal		
EC: Not relevant	LC50 inhalation		
Xylene	LD50 oral	2100 mg/kg	Rat
CAS: 1330-20-7	LD50 dermal	1100 mg/kg	Rat
EC: 215-535-7	LC50 inhalation vapour	17 mg/L	Rat
Ethylbenzene	LD50 oral	3500 mg/kg	Rat
CAS: 100-41-4	LD50 dermal	15354 mg/kg	Rabbit
EC: 202-849-4	LC50 inhalation vapour	17,2 mg/L	Rat
naleic anhydride	LD50 oral	1090 mg/kg	Rat
CAS: 108-31-6	LD50 dermal		
EC: 203-571-6	LC50 inhalation		
Toluene	LD50 oral	5580 mg/kg	Rat
CAS: 108-88-3	LD50 dermal	12124 mg/kg	Rat
EC: 203-625-9	LC50 inhalation vapour	28,1 mg/L (4 h)	Rat

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant



! . .

314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Toxic to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus	
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	LC50	2 mg/L (96 h)	Oncorhynchus mykiss	Fish	
CAS: 1675-54-3	EC50	1,7 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 216-823-5	EC50	9,4 mg/L (72 h)	Scenedesmus subspicatus	Algae	
Formaldehyde, oligomeric reaction products with 1-chloro-2,3- epoxypropane and phenol	LC50	2,54 mg/L (96 h)	Oncorhynchus mykiss	Fish	
CAS: Not relevant	EC50	5,55 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 701-263-0	EC50	1,8 mg/L (72 h)	Selenastrum capricornutum	Algae	
Pine oil	LC50	>1 - 10 mg/L (96 h)		Fish	
CAS: 8002-09-3	EC50	>1 - 10 mg/L (48 h)		Crustacean	
EC: Not relevant	EC50	>1 - 10 mg/L (72 h)		Algae	
Xylene	LC50	>10 - 100 mg/L (96 h)		Fish	
CAS: 1330-20-7	EC50	>10 - 100 mg/L (48 h)		Crustacean	
EC: 215-535-7	EC50	>10 - 100 mg/L (72 h)		Algae	
Ethylbenzene	LC50	42,3 mg/L (96 h)	Pimephales promelas	Fish	
CAS: 100-41-4	EC50	75 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 202-849-4	EC50	63 mg/L (3 h)	Chlorella vulgaris	Algae	
Toluene	LC50	5,5 mg/L (96 h)	Oncorhynchus kisutch	Fish	
CAS: 108-88-3	EC50	3,78 mg/L (48 h)	Ceriodaphnia dubia	Crustacean	
EC: 203-625-9	EC50	Not relevant			

Chronic toxicity:

Identification	Concentration		Species	Genus
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	NOEC	Not relevant		
CAS: 1675-54-3 EC: 216-823-5	NOEC	0,3 mg/L	Daphnia magna	Crustacean
Xylene	NOEC	1,3 mg/L	Oncorhynchus mykiss	Fish
CAS: 1330-20-7 EC: 215-535-7	NOEC	1,17 mg/L	Ceriodaphnia dubia	Crustacean
Ethylbenzene	NOEC	Not relevant		
CAS: 100-41-4 EC: 202-849-4	NOEC	0,96 mg/L	Ceriodaphnia dubia	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Deg	radability	Biodegrada	oility
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	BOD5	Not relevant	Concentration	Not relevant
CAS: 1675-54-3	COD	Not relevant	Period	28 days
EC: 216-823-5	BOD5/COD	Not relevant	% Biodegradable	5 %
Formaldehyde, oligomeric reaction products with 1-chloro- 2,3-epoxypropane and phenol	BOD5	Not relevant	Concentration	3 mg/L
CAS: Not relevant	COD	Not relevant	Period	28 days
EC: 701-263-0	BOD5/COD	Not relevant	% Biodegradable	0 %
Xylene	BOD5	Not relevant	Concentration	Not relevant
CAS: 1330-20-7	COD	Not relevant	Period	28 days
EC: 215-535-7	BOD5/COD	Not relevant	% Biodegradable	88 %
Ethylbenzene	BOD5	Not relevant	Concentration	100 mg/L
CAS: 100-41-4	COD	Not relevant	Period	14 days
EC: 202-849-4	BOD5/COD	Not relevant	% Biodegradable	90 %
maleic anhydride	BOD5	Not relevant	Concentration	33.33 mg/L
CAS: 108-31-6	COD	Not relevant	Period	29 days
EC: 203-571-6	BOD5/COD	Not relevant	% Biodegradable	98,19 %





314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

Identification	Degr	adability	Bioc	legradability
Toluene	BOD5	2,5 g O2/g Co	ncentration	100 mg/L
CAS: 108-88-3	COD	Not relevant Pe	riod	14 days
EC: 203-625-9	BOD5/COD	Not relevant %	Biodegradable	100 %
Bioaccumulative potential: Substance-specific information:				
Identification			Bioaccu	imulation potential
Bis-[4-(2,3-epoxipropoxi)phenyl]propane			BCF	31
CAS: 1675-54-3			Pow Log	3
EC: 216-823-5			Potential	Moderate
Formaldehyde, oligomeric reaction products with 1-chloro-2	2,3-epoxypropane a	nd phenol	BCF	150
CAS: Not relevant			Pow Log	3.6
EC: 701-263-0			Potential	High
Xylene			BCF	9
CAS: 1330-20-7			Pow Log	2.77
EC: 215-535-7			Potential	Low
Ethylbenzene			BCF	1
CAS: 100-41-4			Pow Log	3.15
EC: 202-849-4			Potential	Low
maleic anhydride			BCF	
CAS: 108-31-6			Pow Log	-2.61
EC: 203-571-6			Potential	
Toluene			BCF	90
CAS: 108-88-3			Pow Log	2.73
EC: 203-625-9			Potential	Moderate
Mobility in soil:				
Identification	Absor	tion/desorption		Volatility
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	Кос	450	Henry	Not relevant
CAS: 1675-54-3	Conclusion	Low	Dry soil	Not relevant
EC: 216-823-5	Surface tension	Not relevant	Moist soil	Not relevant
Formaldehyde, oligomeric reaction products with 1-chloro- 2,3-epoxypropane and phenol	Koc	4460	Henry	Not relevant
CAS: Not relevant	Conclusion	Low	Dry soil	Not relevant
EC: 701-263-0	Surface tension	Not relevant	Moist soil	Not relevant
Xylene	Koc	202	Henry	524,86 Pa·m³/m
CAS: 1330-20-7	Conclusion	Moderate	Dry soil	Yes
EC: 215-535-7	Surface tension	Not relevant	Moist soil	Yes
Ethylbenzene	Кос	520	Henry	798,44 Pa·m³/m
CAS: 100-41-4	Conclusion	Moderate	Dry soil	Yes
EC: 202-849-4	Surface tension	2,859E-2 N/m (25 °C)	·	Yes
	Кос	42	Henry	0E+0 Pa·m ³ /mol
maleic anhydride		Very High	Dry soil	Not relevant
maleic anhydride CAS: 108-31-6	Conclusion		1 Moist soil	Not relevant
CAS: 108-31-6 EC: 203-571-6	Surface tension	1,673E-2 N/m (250,2 °C)		
CAS: 108-31-6 EC: 203-571-6 Toluene	Surface tension Koc	°C) 178	Henry	672,8 Pa·m³/mo
CAS: 108-31-6 EC: 203-571-6 Toluene CAS: 108-88-3	Surface tension Koc Conclusion	°C) 178 Moderate	Henry Dry soil	Yes
CAS: 108-31-6 EC: 203-571-6 Toluene CAS: 108-88-3 EC: 203-625-9	Surface tension Koc	°C) 178	Henry Dry soil	
CAS: 108-31-6 EC: 203-571-6 Toluene CAS: 108-88-3 EC: 203-625-9 Results of PBT and vPvB assessment:	Surface tension Koc Conclusion	°C) 178 Moderate	Henry Dry soil	Yes
CAS: 108-31-6 EC: 203-571-6 Toluene CAS: 108-88-3 EC: 203-625-9 Results of PBT and vPvB assessment: Product does not meet PBT/vPvB criteria	Surface tension Koc Conclusion	°C) 178 Moderate	Henry Dry soil	Yes
CAS: 108-31-6 EC: 203-571-6 Toluene CAS: 108-88-3 EC: 203-625-9 Results of PBT and vPvB assessment:	Surface tension Koc Conclusion	°C) 178 Moderate	Henry Dry soil	Yes





314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	Hazardous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP10 Toxic for reproduction, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

with regard to A			
	14.1	UN number or ID number:	UN3082
	14.2	UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis-
《***》〈鉴〉	•		[4-(2,3-epoxipropoxi)phenyl]propane)
	14.3	Transport hazard class(es):	9
		Labels:	9
		Packing group:	III
	14.5	Environmental hazards:	Yes
	14.6	Special precautions for user	
		Special regulations:	274, 335, 375, 601
		Tunnel restriction code:	-
		Physico-Chemical properties:	see section 9
		Limited quantities:	5 L
	14.7	Maritime transport in bulk according to IMO	Not relevant
		instruments:	
Transport of da	ngero	us goods by sea:	
With regard to IN	1DG 41	-22:	
	14.1	UN number or ID number:	UN3082
		UN number or ID number: UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis-
		UN proper shipping name:	
	14.2		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis- [4-(2,3-epoxipropoxi)phenyl]propane)
	14.2 14.3	UN proper shipping name: Transport hazard class(es): Labels:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis- [4-(2,3-epoxipropoxi)phenyl]propane) 9
	14.2 14.3 14.4	UN proper shipping name: Transport hazard class(es):	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis- [4-(2,3-epoxipropoxi)phenyl]propane) 9 9
	14.2 14.3 14.4 14.5	UN proper shipping name: Transport hazard class(es): Labels: Packing group:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis- [4-(2,3-epoxipropoxi)phenyl]propane) 9 9 1II
	14.2 14.3 14.4 14.5	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis- [4-(2,3-epoxipropoxi)phenyl]propane) 9 9 1II
	14.2 14.3 14.4 14.5	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis- [4-(2,3-epoxipropoxi)phenyl]propane) 9 9 1III Yes 335, 969, 274
	14.2 14.3 14.4 14.5	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user Special regulations:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis- [4-(2,3-epoxipropoxi)phenyl]propane) 9 9 III Yes
	14.2 14.3 14.4 14.5	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user Special regulations: EmS Codes:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis- [4-(2,3-epoxipropoxi)phenyl]propane) 9 9 1II Yes 335, 969, 274 F-A, S-F
	14.2 14.3 14.4 14.5	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis- [4-(2,3-epoxipropoxi)phenyl]propane) 9 9 1II Yes 335, 969, 274 F-A, S-F see section 9
	14.2 14.3 14.4 14.5 14.6	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis- [4-(2,3-epoxipropoxi)phenyl]propane) 9 9 1II Yes 335, 969, 274 F-A, S-F see section 9 5 L
	14.2 14.3 14.4 14.5 14.6	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis- [4-(2,3-epoxipropoxi)phenyl]propane) 9 9 1III Yes 335, 969, 274 F-A, S-F see section 9 5 L Not relevant



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any


country-specific legislation



314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

SECTION 14: TRANSPORT INFORMATION (continued)

With regard to IATA/ICAO 2024:



SECTION 15: REGULATORY INFORMATION **

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EU) 2019/1021 on persistent organic pollutants: Not relevant
- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
E2	ENVIRONMENTAL HAZARDS	200	500
	· · · · · · · · · · · · · · · · · · ·		

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Product classified hazardous under the CMR. Sale and distribution to the general public is prohibited. Due to its CMR category, it is essential to apply the specific measures for workplace hazard prevention covered in articles 4 and 5 of the 2004/37/EC Directive and later modifications.

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Laboral exposure to respirable crystalline silica must be controlled in accordance with Directive (EU) 2022/431, of the European Parliament and of the Council, of March 9, 2022, amending Directive 2004/37/EC, relating to the protection of workers against risks related to exposure to carcinogens or mutagens during work.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

** Changes with regards to the previous version

SECTION 16: OTHER INFORMATION **

Legislation related to safety data sheets:

** Changes with regards to the previous version





314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

SECTION 16: OTHER INFORMATION ** (continued)

CI	ION 16: OTHER INFORMATION ** (continued)
	The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).
	Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:
	COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3):
	· New declared substances
	oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)
	Quartz (RCS > 10%) (14808-60-7)
	· Removed substances
	1-phenoxypropan-2-ol (770-35-4)
	Substances that contribute to the classification (SECTION 2):
	· New declared substances
	Quartz (RCS > 10%) (14808-60-7)
	CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):
	· Hazard statements
	REGULATORY INFORMATION (SECTION 15):
	· Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc)
	Texts of the legislative phrases mentioned in section 2:
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H411: Toxic to aquatic life with long lasting effects.
	H360F: May damage fertility.
	H372: Causes damage to organs through prolonged or repeated exposure (Inhalation).
	H319: Causes serious eye irritation.
	•
	Texts of the legislative phrases mentioned in section 3:
	The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the
	individual components which appear in section 3
	CLP Regulation (EC) No 1272/2008:
	Acute Tox. 4: H302 - Harmful if swallowed.
	Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled.
	Acute Tox. 4: H332 - Harmful if inhaled.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
	Eye Dam. 1: H318 - Causes serious eye damage.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Repr. 1A: H360F - May damage fertility.
	Repr. 2: H361d - Suspected of damaging the unborn child.
	Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1A: H317 - May cause an allergic skin reaction.
	Skin Sens. 1B: H317 - May cause an allergic skin reaction.
	STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure (Inhalation).
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral).
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Orar).
	STOT SE 3: H335 - May cause respiratory irritation.
	STOT SE 3: H336 - May cause drowsiness or dizziness.
	Classification procedure:
	•
	Skin Irrit. 2: Calculation method
	Skin Sens. 1A: Calculation method
	Aquatic Chronic 2: Calculation method
	Repr. 1A: Calculation method
	STOT RE 1: Calculation method Eye Irrit. 2: Calculation method
	,
	Advice related to training:
	Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and
	interpretation of this safety data sheet, as well as the label on the product.
	Principal bibliographical sources:

** Changes with regards to the previous version



! . .

314110003 - PROTEK EPOXI 1312 SD BRILLO BLANCO

SECTION 16: OTHER INFORMATION ** (continued)

http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

** Changes with regards to the previous version

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.